

PENGARUH SURFAKTAN DODESILAMIN PADA SINTESIS LEMPUNG TERPILAR $\text{SiO}_2/\text{TiO}_2$ SERTA APLIKASINYA SEBAGAI FOTOKATALIS DEGRADASI RHODAMIN

Oleh:

Ryzkyningtyas Kusumawardani

J2C 003 155

RINGKASAN

Telah dilakukan penelitian pengaruh penambahan surfaktan dodesilamin pada sintesis lempung terpillar silika (SiO_2) dengan interkalasi TEOS (tetraetilortosilikat) dari lempung alam Pontianak. Variasi jumlah penambahan surfaktan dodesilamin bertujuan untuk mengetahui hubungan jumlah surfaktan dodesilamin terhadap *basal spacing*, luas permukaan spesifik, distribusi pori dan volume total pori.

Analisis *basal spacing* menggunakan difraksi sinar X sedangkan luas permukaan spesifik, distribusi pori dan volume total pori menggunakan analisis BET. dan untuk mengetahui absorbansi dari zat warna rhodamin menggunakan spektrofotometer UV-VIS. Tahap pilarisasi terdiri atas dua tahap yaitu tahap interkalasi surfaktan dodesilamin dan TEOS serta tahap kalsinasi pada temperatur 600°C yang selanjutnya diimpregnasikan TiCl_3 kedalamnya dengan variasi volume untuk aplikasinya sebagai fotokatalis degradasi rhodamin.

Basal spacing dan volume total pori lempung terpillar meningkat dengan optimasi pada perbandingan molar dodesilamin 1 : 35 terhadap lempung alam. Luas permukaan lempung terpillar silika meningkat lebih dari 10 kali lipat dibandingkan dengan lempung alam. Luas permukaan spesifik lempung terpillar meningkat dengan meningkatnya penambahan surfaktan dodesilamin. Sedangkan distribusi pori pada lempung terpillar tidak merata disebabkan karena tidak adanya penambahan air dalam sintesis. Aplikasi dari lempung terpillar $\text{SiO}_2/\text{TiO}_2$ sebagai fotokatalis reaksi degradasi rhodamin dengan pengaruh radiasi cahaya UV. Semakin banyak TiO_2 yang teremban maka semakin kecil absorbansi dari zat warna Rhodamin.

SUMMARY

The research on the effect of addition of dodesylamine surfactant on the synthesis of silica pillared clay (SiO_2) by TEOS (tetraethylorthosilicate) intercalation from Pontianak natural clay had been done. Variation on the amount of dodesylamine added was done to find out the influence of surfactant addition on the basal spacing, specific surface width, pore distribution and pore total volume of the synthesized pillared clay.

Analysis of basal spacing was carried out by X-ray diffraction whereas the specific surface width, pore distribution and pore total volume were determined by BET method. Clay pillarization consisted of two main steps, intercalation of dodesylamine and TEOS, and calcination at 600°C .

The research data showed that the basal spacing and pore total volume of pillared clay increased after the surfactant addition and were optimally found at the dodesylamine:natural clay molar ratio of 1:35. The surface area of silica pillared clay increased more than 10 times of natural clay's. Furthermore, the specific surface width of clay increased with the increase of dodesylamine addition whereas its pore distribution was found to be inequitable since there was no water addition during synthesis. Photocatalytic application of the synthesized $\text{SiO}_2/\text{TiO}_2$ pillared clay was carried out in the degradation of rhodamine by UV radiation. The more TiO_2 impregnated on the clay, the less rhodamine absorbed.

DAFTAR PUSTAKA

- Blakova, A., Csolleova, L., and Brezova, V., 1998. *Effect of Light sources on the phenol degradation using Pt/TiO₂ photocatalysts immobilized on glass fibres*, Journal of Photochemistry and photobiology A: chemistry, Volume 113, Issue 3, 15, Pages 251-256.
- Blanco, J., Avilla, P., Bahamonde, A., Alvares, E., Sanchez, B., and Romero, M., 1996, *Photocatalytic destruction of Toluene and xylene at gas phase on a titania based monolithic catalyst*, Catalysis today, volume 29, Issues 1-4, Pages 437-442.
- Figuera, F., 1988, *Pillared Clay as Catalyst*, Catal. Rev. Sci. Eng, 30(3), 457-499.
- Gillot, J. E., 1987, *Clay in Engineering Geology*, Elsevier.
- Goggate, P.R. and Pandit, A.B., 2004, *A review of imperative technologies for wastewater treatment I: Oxidation technologies at ambient conditions*, Advances in Environmental research, 8, No. 3-4, 501.
- Han, Y.S., Matsumoto, H., Yamanaka, S., 1997, *Preparation of New Silica Sol-Based Pillared Clay with High Surface Area and High Thermal Stability*, Chem Matter, 2013-2018.
- Hermann, J., 1999, *Heterogeneous photocatalysis: fundamentals and applications to the removal of various types of aqueous pollutants*, Catalysis Today, 53, no. 1, 115.
- Ismorningsih dan Rasjid Djufri, 1978, *Pengantar Kimia Zat Warna*, ITT, Bandung.
- Ismunandar., 2004, *Padatan Oksida Logam, Struktur, Sintesis dan sifat-sifatnya.*, Dep.kimia FMIPA ITB, Bandung.
- Komariyah, N., 2005, *Sintesis Katalis Lempung Terpillar SiO₂/Ni dan pemanfaatannya dalam hidrroengkah Minyak Bumi*, Skripsi, Jurusan Kimia FMIPA Undip, Semarang.
- Kwon, O. Y., Park, K. W., Jeong, S. Y., 2001, *Preparation of Porous Silica-Pillared Montmorillonite: Simultaneous Intercalation of Amine-Tetraethylorthosilicate into H-Montmorillonite and Intra-Gallery Amine-Catalyzed Hydrolysis of Tetraethylorthosilicate*, Bull. Korean Chem. Soc., 22(7), 678-684.

- Ma, Y., and Yao, J., 1998, *Photodegradation of Rhodamine B catalyzed by TiO₂ Thin Film*, journal of Photochemistry and photobiology A:chemistry, 116, NO. 2, 167.
- Ohstuka, K., 1997, *Preparation and Properties of Two-Dimensional Microporous Pillared Interlayered Solid*, *Chem Matter*, 2039-2050.
- Ogawa, M. and Kuroda, K., 1997, *Preparation of Inorganic Nanocomposites through Intercalation of Organoammonium Ions into Layered Silicates*, *Bull. Chem. Soc. Jpn.*, 70, 2593-2618.
- Ohstuka, K., 1997, *Preparation and Properties of Two-Dimensional Microporous Pillared Interlayered Solid*, *Chem Matter*, 2039-2050.
- Poleverjan, M., Pauly, T. R., Pinnavaia, T. J., 2000, *Acidic Porous Clay Heterostucture (PCH): Intragallery Assembly of Mesoporous Silica in Synthetic Saponite Clay*, *Chem Matter*, (12), 2698-2704.
- Setyaningrum, R D., 2007, *Sintesis lempung terpillar SiO₂/Ni dari Lempung Alam Serta Uji Aktivitasnya sebagai Katalis Esterifikasi Asam Asetat-Etanol.*, skripsi, Jurusan Kimia FMIPA UNDIP, Semarang.
- Shifu, C., Mengyue, Z., and Yaowu, T., *Photocatalytic Degradation of Organophosphorus Pesticides using TiO₂ Supported on fiberglass*, *Microchemical Journal*, Volume 54, Issue 1, July 1996, Pages 54-58.
- Tan, K. H., 1991, *Dasar-Dasar Kimia Tanah*, a.b : Goenadi, D.H., Gadjah Mada University Press, Yogyakarta.
- Vansant, E. F., and Cool. P., 1997, *Pillared Clay : Preparation, Characterization and Application*, *Chem Matter*, 265-286.
- Zhu, H. Y. and Lu, G. Q., 2001, *Engineering the Structures of Nanoporous Clays with Micelles of Alkyl Polyether Surfactants*, *Langmuir*, 17, 588-594.